



MPDS Protocol	MPDS Descriptor	Ambulance Level of Service	Ambulance Response Priority	SJCEMSA EMR Response	JRUG	LFD	SFD	SSJCFA /MKE	LMFD/MFD
01	Abdominal Pain/Problems								
1D01	Abd Pain: Not Alert	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
1D02	Abd Pain: Ashen or Gray color reported \geq 50	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
1C01	Abd Pain: Suspected aortic aneurysm \geq 50	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
1C02	Abd Pain: Diagnosed aortic aneurysm	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
1C03	Abd Pain: Fainting or near fainting \geq 50	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
1C04	Abd Pain: Female with fainting or near fainting 12-50	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
1C05	Abd Pain: Males with pain above navel \geq 35	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
1C06	Abd Pain: Females with pain above navel \geq 45	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
1A01	Abd Pain: Abdominal Pain	BLS	NRLS	No EMR	No Response	No Response	No Response	RLS	RLS
1A02	Abd Pain: Testicle or groin (male)	BLS	NRLS	No EMR	No Response	No Response	No Response	RLS	RLS
02	Allergies (Reactions)/Envenomation (Stings, Bites)								
2E01	Allergies/Envenom: Ineffective Breathing	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
2D01	Allergies/Envenom: Not Alert	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
2D02	Allergies/Envenom: Difficulty Speaking between Breaths	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
2D03	Envenomation: Swarming attack (bees,	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS



MPDS Protocol	MPDS Descriptor	Ambulance Level of Service	Ambulance Response Priority	SJCEMSA EMR Response	JRUG	LFD	SFD	SSJCFA /MKE	LMFD/MFD
	wasps, hornets, etc.)								
2D04	Envenomation: Snakebite	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
2C01	Allergies/Envenom: Difficulty breathing or swallowing	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
2C02	Allergies/Envenom: History of severe allergic reaction	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
2B01	Allergies/Envenom: Unknown status/Other codes not applicable	BLS or ALS	RLS	RLS	RLS	RLS	No Response	RLS	RLS
2A01	Allergies: No difficulty breathing or swallowing (rash, hives, or itching may be present)	BLS	NRLS	No EMR	No Response	No Response	No Response	RLS	RLS
2A02	Envenomation: Spider bite	BLS	NRLS	No EMR	No Response	No Response	No Response	RLS	RLS
2A03	Asymptomatic allergic reaction complaint (no severe reaction history)	BLS	NRLS	No EMR	No Response	No Response	No Response	RLS	NRLS
03	Animal Bites/Attacks								
3D01	Animal Bite: Arrest	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
3D02	Animal Bite: Unconscious	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
3D03	Animal Bite: Not Alert	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
3D04	Animal Bite: Chest or Neck Injury (with difficulty breathing)	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
3D05	Animal Bite: Dangerous body area	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
3D06	Animal Bite: Large animal	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
3D07	Animal Bite: Exotic animal	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
3D08	Animal Bite: Mauling or multiple animals	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS



MPDS Protocol	MPDS Descriptor	Ambulance Level of Service	Ambulance Response Priority	SJCEMSA EMR Response	JRUG	LFD	SFD	SSJCFA /MKE	LMFD/MFD
3D09	Animal Bite: Attack in progress	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
3B01	Animal Bite: Poss. Dangerous body area	BLS or ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
3B02	Animal Bite: Serious hemorrhage	BLS or ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
3B03	Animal Bite: Unknown Status/ other codes not applicable	BLS or ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
3A01	Animal Bite - Marked (*) NOT DANGEROUS body area with deformity	ALS	NRLS	No EMR	No Response	No Response	No Response	RLS	RLS
3A02	Animal Bite - NOT DANGEROUS body area	BLS	NRLS	No EMR	No Response	No Response	No Response	No Response	NRLS
3A03	Animal Bite - NON-RECENT (≥6 hrs) injuries (without priority symptoms)	BLS	NRLS	No EMR	No Response	No Response	No Response	No Response	NRLS
3A04	Animal Bite - SUPERFICIAL injuries	BLS	NRLS	No EMR	No Response	No Response	No Response		RLS
04	Assault/Sexual Assault/Stun Gun								
4D01	Assault: Arrest	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
4D02	Assault: Unconscious	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
4D03	Assault: Not alert	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
4D04	Assault: Chest or neck injury (with difficulty breathing)	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
4D05	Assault: Multiple victims	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
4B01s	Assault: Poss. Dangerous body area	BLS or ALS	RLS	RLS	RLS	RLS	No Response	RLS	RLS
4B01a,t	Assault: Poss. Dangerous body area	BLS or ALS	NRLS	NRLS	NRLS	NRLS	No Response	RLS	RLS



MPDS Protocol	MPDS Descriptor	Ambulance Level of Service	Ambulance Response Priority	SJCEMSA EMR Response	JRUG	LFD	SFD	SSJCFA /MKE	LMFD/MFD
							nse		
4B02	Assault: Serious hemorrhage	BLS or ALS	RLS	RLS	RLS	RLS	No Response	RLS	RLS
4B03	Assault: Unknown status/Other codes not applicable	BLS or ALS	NRLS	NRLS	NRLS	NRLS	No Response	RLS	RLS
4A01	Assault: Not dangerous body area with deformity	BLS	NRLS	No EMR	No Response	No Response	No Response	RLS	RLS
4A02	Assault/Sexual Assault: Not dangerous body area	BLS	NRLS	No EMR	No Response	No Response	No Response	RLS	RLS
4A03	Assault/Sexual Assault: Non-Recent (≥ 6 hrs) injuries (without pri sympt)	BLS	NRLS	No EMR	No Response	No Response	No Response	No Response	RLS
05	Back Pain (Non- Traumatic or Non- Recent Trauma)								
5D01	Back Pain: Not Alert	ALS	RLS	RLS	RLS	RLS	No Response	RLS	RLS
5D02	Back Pain: Ashen or gray color reported ≥ 50	ALS	RLS	RLS	RLS	RLS	No Response	RLS	RLS
5C01	Back Pain: Suspected aortic aneurysm ≥ 50	ALS	RLS	RLS	RLS	RLS	No Response	RLS	RLS
5C02	Back Pain: Diagnosed aortic aneurysm	ALS	RLS	RLS	RLS	RLS	No Response	RLS	RLS



MPDS Protocol	MPDS Descriptor	Ambulance Level of Service	Ambulance Response Priority	SJCEMSA EMR Response	JRUG	LFD	SFD	SSJCFA /MKE	LMFD/MFD
							nse		
5C03	Back Pain: Fainting or near fainting ≥ 50	ALS	RLS	RLS	RLS	RLS	No Response	RLS	RLS
5C04	Back Pain: Difficulty breathing	ALS	RLS	RLS	RLS	RLS	No Response	RLS	RLS
5A01	Back Pain: Non-traumatic back pain	BLS	NRLS	No EMR	No Response	No Response	No Response	RLS	RLS
5A02	Back Pain: Non-Recent (≥ 6 hrs) injuries (without pri sympt)	BLS	NRLS	No EMR	No Response	No Response	No Response	No Response	RLS
06	Breathing Problem								
6E01	Breathing Prob: Ineffective Breathing	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
6D01	Breathing Prob: Not Alert	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
6D02	Breathing Prob: Difficulty Speaking btw breaths	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
6D03	Breathing Prob: Changing color	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
6D04	Breathing Prob: Clammy or cold sweats	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
6D05	Breathing Prob: Tracheostomy (obvious distress)	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
6C01	Breathing Prob: Abnormal Breathing	ALS	RLS	RLS	RLS	RLS	No Response	RLS	RLS
6C02	Breathing Prob: Tracheostomy (no obvious distress)	ALS	NRLS	NRLS	NRLS	NRLS	No Response	No Response/MKE NRLS	RLS



MPDS Protocol	MPDS Descriptor	Ambulance Level of Service	Ambulance Response Priority	SJCEMSA EMR Response	JRUG	LFD	SFD	SSJCFA /MKE	LMFD/MFD
07	Burns(Scalds)/Explosion (Blast)								
7E01	Burns: Person on Fire	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
7D01	Burns: Multiple victims	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
7D02	Burns: Arrest	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
7D03	Burns: Unconscious	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
7D04	Burns: Not alert	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
7D05	Burns: Difficulty Speaking btw breaths	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
7C01	Burns: Fire with person inside	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
7C02	Burns: Difficulty breathing	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
7C03	Burns: Burns \geq 18% body area	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
7C04	Burns: Significant facial burns	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
7B01	Burns/Explosion: Blast injuries (without pri sympt)	BLS or ALS	NRLS	NRLS	NRLS	NRLS	No Response	RLS	RLS
7B02	Burns: Unknown status/Other codes not applicable	BLS or ALS	NRLS	NRLS	NRLS	NRLS	No Response	RLS	RLS
7A01	Burns: Burns < 18% body area	BLS	NRLS	NRLS	NRLS	NRLS	RLS	RLS	RLS
7A02	Burns: Fire alarm (unknown situation)	No Response	N/A	EFD	EFD	EFD	EFD	EFD	EFD
7A03	Burns: Minor burns	BLS	NRLS	No EMR	No Response	No Response	No Response	RLS	RLS
7A04	Burns: Sunburn	BLS	NRLS	No EMR	No Response	No Response	No Response	No Response	RLS
7A05	Burns: Non-Recent (\geq 6hrs) injuries (without pri sympt)	BLS	NRLS	No EMR	No Response	No Response	No Response	No Response	RLS



MPDS Protocol	MPDS Descriptor	Ambulance Level of Service	Ambulance Response Priority	SJCEMSA EMR Response	JRUG	LFD	SFD	SSJCFA /MKE	LMFD/MFD
08	Carbon Monoxide/Inhalation/Hazmat/CBRN								
8D01	CO: Arrest	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
8D02	CO: Unconscious	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
8D03	CO: Not alert	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
8D04	CO: Difficulty Speaking btw breaths	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
8D05	CO: Multiple victims	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
8D06	CO: Unknown status/other codes not applicable	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
8C01	CO: Alert with difficulty breathing	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
8B01	CO: Alert without difficulty breathing	BLS or ALS	NRLS	NRLS	NRLS	NRLS	No Response	RLS	RLS
8Q01	CO: CO detector alarm(scene contact without pri sympt)	No Response	EFD	EFD	EFD	EFD	EFD	EFD	EFD
8Q02	CO: CO detector alarm (alarm only, no scene contact)	No Response	EFD	EFD	EFD	EFD	EFD	EFD	EFD
09	Cardiac or Respiratory Arrest/Death								
9E01	Cardiac Arrest: Not breathing at all	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
9E02	Cardiac Arrest: Uncertain breathing	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
9E03	Cardiac Arrest: Hanging	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
9E04	Cardiac Arrest: Strangulation	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
9E05	Cardiac Arrest: Suffocation	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
9D01	Cardiac Arrest: Ineffective breathing	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
9D02	Cardiac Arrest: Obvious or Expected death questionable (a-f; x-z)	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
9B01a-e	Cardiac Arrest: Obvious death	No	Refer to	NRLS	NRLS	NRLS	No	RLS	RLS



MPDS Protocol	MPDS Descriptor	Ambulance Level of Service	Ambulance Response Priority	SJCEMSA EMR Response	JRUG	LFD	SFD	SSJCFA /MKE	LMFD/MFD
	unquestionable (a-e)	Response	Law				Response		
9B01f	Cardiac Arrest: Obvious death unquestionable (f)	BLS or ALS	NRLS	NRLS	NRLS	NRLS	No Response	RLS	RLS
9Q01	Cardiac Arrest: Expected death unquestionable (x-y)	BLS	NRLS	NRLS	NRLS	NRLS	No Response	RLS	RLS
10	Chest Pain/Chest Discomfort (Non-Traumatic)								
10D01	Chest Pain: Not alert	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
10D02	Chest Pain: Difficulty Speaking btw breaths	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
10D03	Chest Pain: Changing color	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
10D04	Chest Pain: Clammy or cold sweats	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
10D05	Chest Pain: Heart attack or angina history	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
10C01	Chest Pain: Abnormal breathing	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
10C02	Chest Pain: Cocaine	ALS	RLS	RLS	RLS	RLS	No Response	RLS	RLS
10C03	Chest Pain: Breathing normally \geq 35	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
10A01	Chest Pain: Breathing normally < 35	BLS	NRLS	NRLS	NRLS	No Response	No Response	RLS	RLS
11	Choking								
11E01	Choking: Complete obstruction/Ineffective breathing	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
11D01	Choking: Abnormal breathing (Partial obstruction)	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS



MPDS Protocol	MPDS Descriptor	Ambulance Level of Service	Ambulance Response Priority	SJCEMSA EMR Response	JRUG	LFD	SFD	SSJCFA /MKE	LMFD/MFD
11D02	Choking: Not alert	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
11A01	Choking: Not choking now(can talk/cry, is alert &breathing normally)	BLS	NRLS	NRLS	NRLS	No Resp onse	No Respo nse	RLS	RLS
12	Convulsions/Seizures								
12D01	Seizures: Not breathing	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
12D02	Seizures: Continuous or multiple seizures	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
12D03	Seizures: Agonal/ineffective breathing	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
12D04	Seizures: Effective breathing not verified \geq 35	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
12C01	Seizures: Focal/Absence seizures (not alert)	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
12C02	Seizures: Pregnancy	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
12C03	Seizures: Diabetic	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
12C04	Seizures: Not seizing now & effective breathing verified (>6, confirmed no seizure disorder)	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
12C05	Seizures: History of stroke or brain tumor	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
12C06	Seizures: Overdose/Poisoning (ingestion)	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
12C07	Seizures: Atypical seizure	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
12B01	Seizures: Effective breathing not verified < 35	BLS or ALS	NRLS	NRLS	NRLS	NRLS	No Respo nse	RLS	RLS
12A01	Seizures: Not seizing now & effective breathing verified (known seizure disorder)	BLS	NRLS	No EMR	No Respo nse	No Respo nse	No Respo nse	RLS	RLS
12A02	Seizures: Not seizing now & effective breathing verified (seizure disorder unknown)	BLS	NRLS	No EMR	No Respo nse	No Respo nse	No Respo nse	RLS	RLS
12A03	Seizures: Not seizing now & effective	BLS	NRLS	No EMR	No	No	No	RLS	RLS



MPDS Protocol	MPDS Descriptor	Ambulance Level of Service	Ambulance Response Priority	SJCEMSA EMR Response	JRUG	LFD	SFD	SSJCFA /MKE	LMFD/MFD
	breathing verified (≤ 6 , confirmed no seizure disorder)				Response	Response	Response		
12A04	Seizures: Focal/Absence seizure	BLS	NRLS	No EMR	No Response	No Response	No Response	RLS	RLS
12A05	Seizures: Impending Seizure (aura)	BLS	NRLS	No EMR	No Response	No Response	No Response	RLS	RLS
13	Diabetic Problems								
13D01	Diabetic: Unconscious	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
13C01	Diabetic: Not alert	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
13C02	Diabetic: Abnormal behavior	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
13C03	Diabetic: Abnormal breathing	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
13A01	Diabetic: Alert and behaving normally	BLS	NRLS	No EMR	No Response	No Response	No Response	No Response	RLS
14	Drowning/Near Drowning/Diving/Scuba Accident								
14E01	Drowning: Arrest (out of water)	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
14E02	Drowning: Underwater (Domestic rescue)	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
14D01	Drowning: Unconscious	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
14D02	Drowning: underwater (Specialized rescue)	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
14D03	Drowning: Stranded (Specialized rescue)	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
14D04	Drowning: Just resuscitated and/or defibrillated (external)	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
14D05	Drowning: Not alert	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
14D06	Drowning: Suspected neck injury	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
14C01	Drowning: Alert with abnormal breathing	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS



MPDS Protocol	MPDS Descriptor	Ambulance Level of Service	Ambulance Response Priority	SJCEMSA EMR Response	JRUG	LFD	SFD	SSJCFA /MKE	LMFD/MFD
14C02	Drowning - Decompression sickness (the bends)	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
14B01	Drowning: Alert and breathing normally (injuries or in water)	BLS or ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
14B02	Drowning: Obvious Death (submersion \geq 6hrs)	No Response	No Response refer to EFD	EFD	EFD	EFD	EFD	EFD	EFD
14B03	Drowning: Unknown status/other codes not applicable	BLS or ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
14A01	Drowning: Alert and breathing normally (no injuries & out of water)	BLS	NRLS	NRLS	NRLS	No Response	No Response	RLS	RLS
15	Electrocution/Lighting								
15E01	Electrocution: Not breathing/Ineffective breathing	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
15D01	Electrocution: Multiple victims	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
15D02	Electrocution: Unconscious	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
15D03	Electrocution: Not disconnected from power	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
15D04	Electrocution: Power not off or hazard present	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
15D05	Electrocution: Extreme fall (\geq 30ft/10m)	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
15D06	Electrocution: Long fall	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
15D07	Electrocution: Not alert	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
15D08	Electrocution: Abnormal breathing	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
15D09	Electrocution: Unknown status/other codes not applicable	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
15C01	Electrocution: Alert and breathing	ALS	NRLS	NRLS	NRLS	NRLS	No	RLS	RLS



MPDS Protocol	MPDS Descriptor	Ambulance Level of Service	Ambulance Response Priority	SJCEMSA EMR Response	JRUG	LFD	SFD	SSJCFA /MKE	LMFD/MFD
	normally						Response		
16	Eye Problems/Injuries								
16D01	Eye Prob: Not alert	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
16B01	Eye Prob: Severe eye injuries	BLS or ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
16A01	Eye Prob: Moderate eye injuries	BLS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
16A02	Eye Prob: Minor eye injuries	BLS	NRLS	No EMR	No Response	No Response	No Response	No Response	RLS
16A03	Eye Prob: Medical eye problems	BLS	NRLS	No EMR	No Response	No Response	No Response	No Response	RLS
17	Falls								
17D01	Fall: Extreme all (\geq 30ft/10m)	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
17D02	Fall: Arrest	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
17D03	Fall: Unconscious	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
17D04	Fall: Not alert	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
17D05	Fall: Chest or neck injury (with difficulty breathing)	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
17D06	Fall: Long fall	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
17B01 suffix P	Fall: Possibly dangerous body area	BLS or ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
17B01 suffix A,E,G,J or none	Fall: Possibly dangerous body area	BLS or ALS	NRLS	NRLS	NRLS	NRLS	No Response	RLS	RLS
17B02 suffix P	Fall: Serious hemorrhage	BLS or ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS



MPDS Protocol	MPDS Descriptor	Ambulance Level of Service	Ambulance Response Priority	SJCEMSA EMR Response	JRUG	LFD	SFD	SSJCFA /MKE	LMFD/MFD
17B02 suffix A,E,G,J or none	Fall: Serious hemorrhage	BLS or ALS	NRLS	NRLS	NRLS	NRLS	RLS	RLS	RLS
17B03	Fall: Fall down (not on) stairs	BLS or ALS	RLS	RLS	RLS	RLS	No Response	RLS	RLS
17B04	Fall: Unknown status/Other codes not applicable	BLS or ALS	NRLS	NRLS	NRLS	NRLS	No Response	RLS	RLS
17A01 suffix P	Fall: Not dangerous body area with deformity	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
17A01 suffix A,E,G,J or none	Fall: Not dangerous body area with deformity	BLS	NRLS	NRLS	NRLS	NRLS	No Response	RLS	RLS
17A02 suffix P	Fall: Not dangerous body area	BLS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
17A02 suffix A,E,G,J or none	Fall: Not dangerous body area	BLS	NRLS	NRLS	NRLS	No Response	No Response	RLS	RLS
17A03 suffix P	Fall: Non-recent (\geq 6hrs) (without pri sympt)	BLS	RLS	RLS	RLS	RLS	No Response	RLS	RLS
17A03 suffix A,E,G,J or none	Fall: Non-recent (\geq 6hrs) (without pri sympt)	BLS	NRLS	NRLS	NRLS	No Response	No Response	No Response/MKE NRLS	RLS
17A04	Fall: Public assist (no injuries and no pri	No	No	EFD	EFD	EFD	EFD	EFD	EFD



MPDS Protocol	MPDS Descriptor	Ambulance Level of Service	Ambulance Response Priority	SJCEMSA EMR Response	JRUG	LFD	SFD	SSJCFA /MKE	LMFD/MFD
	sympt)	Response	response refer to EFD						
18	Headache								
18C01	Headache: Not alert	ALS	RLS	RLS	RLS	RLS	No Response	RLS	RLS
18C02	Headache: Abnormal breathing	ALS	RLS	RLS	RLS	RLS	No Response	RLS	RLS
18C03	Headache: Speech problems	ALS	RLS	RLS	RLS	RLS	No Response	RLS	RLS
18C04	Headache: Sudden onset of severe pain	ALS	RLS	RLS	RLS	RLS	No Response	RLS	RLS
18C05	Headache: Numbness	ALS	RLS	RLS	RLS	RLS	No Response	RLS	RLS
18C06	Headache: Paralysis	ALS	RLS	RLS	RLS	RLS	No Response	RLS	RLS
18C07	Headache: Change in behavior (\leq 3hrs)	ALS	RLS	RLS	RLS	RLS	No Response	RLS	RLS
18B01	Headache: Unknown status/other codes not applicable	BLS or ALS	NRLS	No EMR	No Response	No Response	No Response	No Response	RLS
18A01	Headache: Breathing normally	BLS	NRLS	No EMR	No	No	No	No	RLS



MPDS Protocol	MPDS Descriptor	Ambulance Level of Service	Ambulance Response Priority	SJCEMSA EMR Response	JRUG	LFD	SFD	SSJCFA /MKE	LMFD/MFD
					Response	Response	Response	Response	
19	Heart Problems/A.I.C.D								
19D01	Heart Prob: Not alert	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
19D02	Heart Prob: Difficulty speaking btw breaths	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
19D03	Heart Prob: Changing color	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
19D04	Heart Prob: Clammy or cold sweats	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
19D05	Heart Prob: Just resuscitated and/or defibrillated (external)	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
19C01	Heart Prob: Firing of A.I.C.D	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
19C02	Heart Prob: Abnormal breathing	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
19C03	Heart Prob: Chest pain/discomfort ≥ 35	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
19C04	Heart Prob: Cardiac history	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
19C05	Heart Prob: Cocaine	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
19C06	Heart Prob: Heart rate < 50 bpm or ≥ 130 bpm (without pri sympt)	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
19C07	Heart Prob: Unknown status/other codes not applicable	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
19A01	Heart Prob: Heart rate ≥ 50 bpm or < 130 bpm (without pri sympt)	BLS	NRLS	NRLS	NRLS	No Response	No Response	RLS	RLS
19A02	Heart Prob: Chest pain/discomfort < 35 (without pri sympt)	BLS	NRLS	NRLS	NRLS	No Response	No Response	RLS	RLS
20	Heat/Cold Exposure								
20D01	Heat/Cold Exp: Not alert	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
20D02	Heat/Cold Exp: Multiple victims (with pri sympt)	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS



MPDS Protocol	MPDS Descriptor	Ambulance Level of Service	Ambulance Response Priority	SJCEMSA EMR Response	JRUG	LFD	SFD	SSJCFA /MKE	LMFD/MFD
20C01	Heat/Cold Exp: Heart attack or angina history	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
20B01	Heat/Cold Exp: Change in skin color	BLS or ALS	NRLS	No EMR	No Response	No Response	No Response	RLS	RLS
20B02	Heat/Cold Exp: Unknown status/other codes not applicable	BLS or ALS	NRLS	No EMR	No Response	No Response	No Response	RLS	RLS
20A01	Heat/Cold Exp: Alert	BLS	NRLS	No EMR	No Response	No Response	No Response	RLS	RLS
21	Hemorrhage/Lacerations								
21D01	Hemorrhage/Lac: Arrest	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
21D02	Hemorrhage/Lac: Unconscious	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
21D03	Hemorrhage/Lac: Not alert	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
21D04	Hemorrhage/Lac: Dangerous hemorrhage	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
21D05	Hemorrhage/Lac: Abnormal bleeding	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
21C01	Hemorrhage/Lac: Hemorrhage through Tubes	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
21C02	Hemorrhage/Lac: Hemorrhage of dialysis fistula	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
21C03	Hemorrhage/Lac: Hemorrhage from varicose veins	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
21B01	Hemorrhage/Lac: Possibly dangerous hemorrhage	BLS or ALS	NRLS	No EMR	No Response	No Response	No Response	RLS	RLS
21B02	Hemorrhage/Lac: Serious hemorrhage	BLS or ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
21B03	Hemorrhage/Lac: Bleeding disorder	BLS or ALS	NRLS	No EMR	No Response	No Response	No Response	RLS	RLS



MPDS Protocol	MPDS Descriptor	Ambulance Level of Service	Ambulance Response Priority	SJCEMSA EMR Response	JRUG	LFD	SFD	SSJCFA /MKE	LMFD/MFD
					nse	onse	nse		
21B04	Hemorrhage/Lac: Blood thinners	BLS or ALS	NRLS	No EMR	No Response	No Response	No Response	RLS	RLS
21A01	Hemorrhage/Lac: Not dangerous hemorrhage	BLS	NRLS	No EMR	No Response	No Response	No Response	RLS	RLS
21A02	Hemorrhage/Lac: Minor hemorrhage	BLS	NRLS	No EMR	No Response	No Response	No Response	RLS	RLS
22	Inaccessible Incident/Other Entrapments (non- traffic)								
22D01	Trapped: Mechanical/Machinery/Object Entrapment	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
22D02	Trapped: Trench collapse	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
22D03	Trapped: Structure collapse	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
22D04	Trapped: Confined space entrapment	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
22D05	Trapped: Inaccessible terrain situation	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
22D06	Trapped: Mudslide/ Avalanche	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
22B01 suffix B or Y	Trapped: No longer trapped (unknown injuries)	BLS or ALS	RLS	RLS	RLS	RLS	No Response	RLS	RLS
22B01 suffix A,M, X or unknown	Trapped: No longer trapped (unknown injuries)	BLS or ALS	NRLS	NRLS	NRLS	NRLS	No Response	RLS	RLS
22B02 suffix B or Y	Trapped: Peripheral entrapment only	BLS or ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS



MPDS Protocol	MPDS Descriptor	Ambulance Level of Service	Ambulance Response Priority	SJCEMSA EMR Response	JRUG	LFD	SFD	SSJCFA /MKE	LMFD/MFD
22B02 suffix A,M, X or unknown	Trapped: Peripheral entrapment only	BLS or ALS	NRLS	EFD	EFD	EFD	EFD	EFD	EFD
22B03 suffix B or Y	Trapped: Unknown status (investigation)/ other codes not applicable	BLS or ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
22B03 Suffix A,M, X or unknown	Trapped: Unknown status (investigation)/ other codes not applicable	BLS or ALS	NRLS	EFD	EFD	EFD	EFD	EFD	EFD
22A01	Trapped: No longer trapped (no injuries)	No Response	No response refer to EFD	EFD	EFD	EFD	EFD	EFD	EFD
23	Overdose/Poisoning (ingestion)								
23E01	OD/Poisoning - Narcotic/Opioid arrest (obvious)	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
23D01	OD/Poisoning - Arrest	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
23D02	OD/Poisoning - Unconscious	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
23D03	OD/Poisoning - CHANGING COLOR	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
23C01	OD/Poison: Not alert	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
23C02	OD/Poison: Abnormal breathing	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
23C03	OD/Poison: Antidepressants (tricyclic)	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
23C04	OD/Poison: Cocaine, methamphetamine (or derivatives)	ALS	RLS	RLS	RLS	RLS	No Response	RLS	RLS
23C05	OD/Poison: Narcotics (heroin, morphine, methadone, Oxycodone, etc.)	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS



MPDS Protocol	MPDS Descriptor	Ambulance Level of Service	Ambulance Response Priority	SJCEMSA EMR Response	JRUG	LFD	SFD	SSJCFA /MKE	LMFD/MFD
23C06	OD/Poison: Acid or alkali (lye)	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
23C07	OD/Poison: Unknown status/other codes not applicable	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
23C08	OD/Poison: Poison control request for response	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
23B01	OD/Poison: Overdose (without pri sympt)	BLS or ALS	NRLS	NRLS	NRLS	No Response	No Response	RLS	RLS
23Q01	OD/Poison: Poisoning (without pri sympt)	BLS or ALS	Refer to poison control	No EMR	No Response	No Response	No Response	RLS	RLS
24	Pregnancy/Childbirth/Miscarriage								
24D01	Childbirth: Breech or cord	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
24D02	Childbirth: Head visible/out	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
24D03	Childbirth: Imminent delivery (\geq 6 months/24 weeks)	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
24D04	Childbirth: 3 rd Trimester hemorrhage	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
24D05	Childbirth: High risk complications	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
24D06	Childbirth: Baby born (complications with baby)	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
24D07	Childbirth: Baby born (complications with mother)	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
24D08	Childbirth: Possible Miscarriage with signs of life	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
24C01	Childbirth: 2 nd Trimester hemorrhage or miscarriage	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
24C02	Childbirth: 1 st Trimester serious hemorrhage	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
24C03	Childbirth: Abdominal pain/cramping (< 6	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS



MPDS Protocol	MPDS Descriptor	Ambulance Level of Service	Ambulance Response Priority	SJCEMSA EMR Response	JRUG	LFD	SFD	SSJCFA /MKE	LMFD/MFD
	months/24 weeks and no fetus or tissue)								
24C04	Childbirth: Baby born (no complications)	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
24B01	Childbirth: labor (delivery not imminent, ≥ 6 months/24 weeks)	BLS or ALS	NRLS	No EMR	No Response	No Response	No Response	RLS	RLS
24B02	Childbirth: Unknown status/other codes not applicable	BLS or ALS	NRLS	No EMR	No Response	No Response	No Response	RLS	RLS
24A01	Childbirth: 1 st Trimester hemorrhage or miscarriage	BLS	NRLS	No EMR	No Response	No Response	No Response	RLS	RLS
24A02	Pregnancy - Confirmed STILLBIRTH situation (≥6 months/24 weeks and no complications)	BLS	NRLS	No EMR	No Response	No Response	No Response	RLS	RLS
24Q01	Childbirth: Water broken (no contractions or presenting parts)	BLS	NRLS	No EMR	No Response	No Response	No Response	RLS	RLS
25	Psychiatric/Abnormal Behavior/Suicide Attempt								
25D01	Psych - Arrest	ALS	RLS	RLS	RLS	RLS	No Response	RLS	RLS
25D02	Psych - Unconscious	ALS	RLS	RLS	RLS	RLS	No Response	RLS	RLS
25D03	Psych - Not alert	ALS	RLS	RLS	RLS	RLS	No Response	RLS	RLS
25D04	Psych - DANGEROUS hemorrhage	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS



MPDS Protocol	MPDS Descriptor	Ambulance Level of Service	Ambulance Response Priority	SJCEMSA EMR Response	JRUG	LFD	SFD	SSJCFA /MKE	LMFD/MFD
25D05	Psych - Near hanging, strangulation, or suffocation (with difficulty breathing)	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
25D06	Psych - Jumped now	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
25C01	ALTERED LOC (history of MENTAL HEALTH CONDITIONS)	ALS	RLS	No EMR	No Response	RLS	RLS	RLS	RLS
25C02	ALTERED LOC (no or unknown history of MENTAL HEALTH CONDITIONS)	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
25C03	ALTERED LOC (ingestion of medications/substances)	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
25C04	ALTERED LOC (sudden change in behavior/personality)	ALS	RLS	RLS	RLS	RLS	RLS	RLS	NRLS
25B01	Psyc: Serious hemorrhage	BLS or ALS	RLS	RLS	RLS	RLS	No Response	RLS	RLS
25B02	Psyc: Non-serious or minor hemorrhage	BLS or ALS	NRLS	NRLS	No Response	No Response	No Response	RLS	RLS
25B03	Psyc: Threatening suicide	BLS or ALS	NRLS	NRLS	No Response	No Response	No Response	RLS	RLS
25B04	Psyc: Jumper (threatening)	ALS	NRLS	NRLS	NRLS	NRLS	No Response	RLS	RLS
25B05	Psyc: Near hanging, strangulation, or suffocation (alert without difficulty breathing)	BLS or ALS	NRLS	NRLS	No Response	No Response	No Response	RLS	RLS
25B06	Psyc: Unknown status/other codes not applicable	BLS or ALS	NRLS	NRLS	No Response	No Response	No Response	RLS	RLS



MPDS Protocol	MPDS Descriptor	Ambulance Level of Service	Ambulance Response Priority	SJCEMSA EMR Response	JRUG	LFD	SFD	SSJCFA /MKE	LMFD/MFD
25A01	Psyc: Non-suicidal and alert	BLS	NRLS	NRLS	No Response	No Response	No Response	No Response	RLS
25A02	Psyc: Suicidal (not threatening) and alert	BLS	NRLS	NRLS	No Response	No Response	No Response	No Response	RLS
25A03	SUICIDE IDEATION and alert (ingestion of medications/substances)	BLS or MH Crisis Response	NRLS	No EMR	No Response	No Response	No Response	RLS	RLS
25Q01	NON-SUICIDAL and alert (history of MENTAL HEALTH CONDITIONS)	MH Crisis Response	No Amb	No EMR	No Response	No Response	No Response	RLS	NRLS
25Q02	SUICIDE IDEATION and alert (history of MENTAL HEALTH CONDITIONS)	MH Crisis Response	No Amb	No EMR	No Response	No Response	No Response	RLS	NRL
26	Sick Person (Specific Diagnoses)								
26D01	Sick Person: Not alert	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
26C01	Sick Person: Altered level of consciousness	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
26C02	Sick Person: Abnormal breathing	ALS	RLS	RLS	RLS	RLS	No Response	RLS	RLS
26C03	Sick Person: Sickle cell crisis/Thalassemia	ALS	RLS	RLS	RLS	RLS	No Response	RLS	RLS
26C04	Sick Person: Autonomic dysreflexia/hyperreflexia	ALS	RLS	RLS	RLS	RLS	No Response	RLS	RLS
26C05	Sick Person: Acute adrenal insufficiency/crisis or Addison's disease	ALS	RLS	No EMR	No Response	No Response	No Response	No Response	No Response



MPDS Protocol	MPDS Descriptor	Ambulance Level of Service	Ambulance Response Priority	SJCEMSA EMR Response	JRUG	LFD	SFD	SSJCFA /MKE	LMFD/MFD
					nse	onse	nse	se	
26B01	Sick Person: Unknown status/other codes not applicable	BLS or ALS	NRLS/ALS or BLS	No EMR	No Response	No Response	No Response	RLS	RLS
26A01	Sick Person: No pri sympt	BLS	NRLS/ALS or BLS	No EMR	No Response	No Response	No Response	RLS	RLS
26A02-12	Sick Person: Non- pri complaints	BLS	NRLS/ALS or BLS	No EMR	No Response	No Response	No Response	RLS	RLS
26Q 2-28 (1 to 3; 5 to 8; 10 to 28)	Sick Person: Non- pri complaints	BLS	NRLS/ALS or BLS	No EMR	No Response	No Response	No Response	RLS	RLS
26Q (9)	Sick Person: Non-pri complaints (request to cut off ring)	No Response	No response refer to EFD	NRLS	NRLS	NRLS	NRLS	RLS	RLS
26Q (4)	Sick Person: Non –pri complaints (can't sleep)	No Response	No EMS response refer to primary care physician	No EMR	No Response	No Response	No Response	No Response	RLS
27	Stab/Gunshot/Penetrating Trauma								
27D01	Stab/GSW/Penetrating: Arrest	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
27D02	Stab/GSW/Penetrating: Unconscious	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
27D03	Stab/GSW/Penetrating: Not alert	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
27D04	Stab/GSW/Penetrating: Central wounds	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS



MPDS Protocol	MPDS Descriptor	Ambulance Level of Service	Ambulance Response Priority	SJCEMSA EMR Response	JRUG	LFD	SFD	SSJCFA /MKE	LMFD/MFD
27D05	Stab/GSW/Penetrates: Multiple wounds	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
27D06	Stab/GSW/Penetrates: Multiple victims	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
27B01	Stab/GSW/Penetrates: Non-recent (\geq 6hrs) single central wound	BLS or ALS	NRLS	NRLS	NRLS	NRLS	No Response	RLS	RLS
27B02	Stab/GSW/Penetrates: Known single peripheral wound	BLS or ALS	NRLS	NRLS	NRLS	NRLS	No Response	RLS	RLS
27B03	Stab/GSW/Penetrates: Serious hemorrhage	BLS or ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
27B04	Stab/GSW/Penetrates: Unknown status/other codes not applicable	BLS or ALS	NRLS	NRLS	NRLS	NRLS	No Response	RLS	RLS
27B05	Stab/GSW/Penetrates: Obvious death	No Response	No response refer to law	NRLS	NRLS	NRLS	No Response	RLS	RLS
27A01 suffix X, Y	Stab/GSW/Penetrates: Non- recent (\geq 6hrs) peripheral wounds (without pri sympt)	BLS	NRLS	NRLS	NRLS	No Response	No Response	RLS	RLS
27A01 suffix S,G,P,I	Stab/GSW/Penetrates: Non- recent (\geq 6hrs) peripheral wounds (without pri sympt)	BLS	NRLS	No EMR	No Response	No Response	No Response	RLS	RLS
28	Stroke (CVA)/Transient Ischemic Attack (TIA)								
28C01 suffix C,E,F,I, J,M, X, Z,L,U	Stroke/TIA: Not alert	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
28C01	Stroke/TIA: Not alert	ALS	NRLS	NRLS	NRLS	NRLS	No	RLS	RLS



MPDS Protocol	MPDS Descriptor	Ambulance Level of Service	Ambulance Response Priority	SJCEMSA EMR Response	JRUG	LFD	SFD	SSJCFA /MKE	LMFD/MFD
suffix D,G,H,K,Y > than 24 hrs							Respo nse		
28C02 suffix C,E,F,I, J,M, X, Z,L,U	Stroke/TIA: Abnormal breathing	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
28C02 suffix D,G,H,K,Y > than 24 hrs	Stroke/TIA: Abnormal breathing	ALS	RLS	RLS	NRLS	NRLS	No Respo nse	RLS	RLS
28C03 suffix C,E,F,I, J,M, X, Z,L,U	Stroke/TIA: Sudden speech problems	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
28C03 suffix D,G,H,K,Y > than 24 hrs	Stroke/TIA: Sudden speech problems	ALS	NRLS	NRLS	NRLS	NRLS	No Respo nse	RLS	RLS
28C04 suffix C,E,F,I, J,M, X, Z,L,U	Stroke/TIA: Sudden weakness or numbness (one side)	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
28C04	Stroke/TIA: Sudden weakness or numbness	ALS	NRLS	NRLS	NRLS	NRLS	No	RLS	RLS



MPDS Protocol	MPDS Descriptor	Ambulance Level of Service	Ambulance Response Priority	SJCEMSA EMR Response	JRUG	LFD	SFD	SSJCFA /MKE	LMFD/MFD
suffix D,G,H,K,Y > than 24 hrs	(one side)						Respo nse		
28C05 suffix C,E,F,I, J,M, X, Z,L,U	Stroke/TIA: Sudden paralysis or facial droop (one side)	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
28C05 suffix D,G,H,K,Y > than 24 hrs	Stroke/TIA: Sudden paralysis or facial droop (one side)	ALS	NRLS	NRLS	NRLS	NRLS	No Respo nse	RLS	RLS
28C06 suffix C,E,F,I, J,M, X, Z,L,U	Stroke/TIA: Sudden loss of balance or coordination	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
28C06 suffix D,G,H,K,Y > than 24 hrs	Stroke/TIA: Sudden loss of balance or coordination	ALS	NRLS	NRLS	NRLS	NRLS	No Respo nse	RLS	RLS
28C07 suffix C,E,F,I, J,M, X, Z,L,U	Stroke/TIA: Sudden vision problems	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
28C07	Stroke/TIA: Sudden vision problems	ALS	NRLS	NRLS	NRLS	NRLS	No	RLS	RLS



MPDS Protocol	MPDS Descriptor	Ambulance Level of Service	Ambulance Response Priority	SJCEMSA EMR Response	JRUG	LFD	SFD	SSJCFA /MKE	LMFD/MFD
suffix D,G,H,K,Y > than 24 hrs							Respo nse		
28C08 suffix C,E,F,I, J,M, X, Z,L,U	Stroke/TIA: Sudden onset of severe headache	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
28C08 suffix D,G,H,K,Y > than 24 hrs	Stroke/TIA: Sudden onset of severe headache	ALS	NRLS	NRLS	NRLS	NRLS	No Respo nse	RLS	RLS
28C09 suffix C,E,F,I, J,M, X, Z,L,U	Stroke/TIA: Stroke history	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
28C09 suffix D,G,H,K,Y > than 24 hrs	Stroke/TIA: Stroke history	ALS	NRLS	NRLS	NRLS	NRLS	No Respo nse	RLS	RLS
28C10 suffix C,E,F,I, J,M, X, Z,L,U	Stroke/TIA:TIA (mini-stroke)history	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
28C010	Stroke/TIA:TIA (mini-stroke)history	ALS	NRLS	NRLS	NRLS	NRLS	No	RLS	RLS



MPDS Protocol	MPDS Descriptor	Ambulance Level of Service	Ambulance Response Priority	SJCEMSA EMR Response	JRUG	LFD	SFD	SSJCFA /MKE	LMFD/MFD
suffix D,G,H,K,Y > than 24 hrs							Respo nse		
28C11 suffix C,E,F,I, J,M, X, Z,L,U	Stroke/TIA: Breathing normally \geq 35	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
28C011 suffix D,G,H,K,Y > than 24 hrs	Stroke/TIA: Breathing normally \geq 35	ALS	NRLS	NRLS	NRLS	NRLS	No Respo nse	RLS	RLS
28C12 suffix C,E,F,I, J,M, X, Z,L,U	Stroke/TIA: Unknown status/Other codes not applicable	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
28C012 suffix D,G,H,K,Y > than 24 hrs	Stroke/TIA: Unknown status/Other codes not applicable	ALS	NRLS	NRLS	NRLS	NRLS	No Respo nse	RLS	RLS
28A01	Stroke/TIA: Breathing normally < 35	BLS	NRLS	No EMR	No Respo nse	No Respo nse	No Respo nse	RLS	RLS
29	Traffic/Transportation Incidents								
29D01	MVA: Major accident	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS



MPDS Protocol	MPDS Descriptor	Ambulance Level of Service	Ambulance Response Priority	SJCEMSA EMR Response	JRUG	LFD	SFD	SSJCFA /MKE	LMFD/MFD
29D02	MVA: High mechanism	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
29D03	MVA: High velocity impact	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
29D04	MVA: Hazmat	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
29D05	MVA: Pinned (trapped) victim	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
29D06	MVA: Arrest	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
29D07	MVA: Unconscious	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
29D08	MVA: Not alert with noisy breathing (abnormal)	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
29D09	MVA: Not alert with normal breathing	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
29B01	MVA: Injuries	BLS or ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
29B02	MVA: Serious hemorrhage	BLS or ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
29B03	MVA: Other hazards	BLS or ALS	NRLS	NRLS	NRLS	NRLS	No Response	RLS	RLS
29B04	MVA: Low mechanism (1 st or 2 nd party caller)	BLS or ALS	NRLS	NRLS	NRLS	NRLS	No Response	RLS	RLS
29B05	MVA: Unknown status/other codes not applicable	BLS or ALS	NRLS	NRLS	NRLS	NRLS	No Response	RLS	RLS
29A01	MVA: 1 st party caller with injury to not dangerous body area	BLS	NRLS	NRLS	NRLS	No Response	No Response	RLS	RLS
29A02	MVA: No injuries reported (unconfirmed or ≥ 5 persons involved)	BLS	NRLS	NRLS	NRLS	No Response	No Response	RLS	RLS
29Q01	MVA: No injuries (confirmed for all persons up to 4	No Response	No response refer to law/Fire	EFD	EFD	EFD	No Response refer	EFD	EFD



MPDS Protocol	MPDS Descriptor	Ambulance Level of Service	Ambulance Response Priority	SJCEMSA EMR Response	JRUG	LFD	SFD	SSJCFA /MKE	LMFD/MFD
							to Law		
30	Traumatic Injuries (Specific)								
30D01	Trauma Inj: Arrest	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
30D02	Trauma Inj: Unconscious	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
30D03	Trauma Inj: Not alert	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
30D04	Trauma Inj: Chest or neck injury (with difficulty breathing)	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
30D05	Trauma Inj: High velocity impact/ Mass injury	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
30B01	Trauma Inj: Possibly dangerous body area	BLS or ALS	NRLS	NRLS	NRLS	NRLS	No Response	RLS	RLS
30B02	Trauma Inj: Serious hemorrhage	BLS or ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
30B03	Trauma Inj: Unknown body area (remote patient location)	BLS or ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
30A01	Trauma Inj: Not dangerous body area with deformity	ALS	NRLS	NRLS	NRLS	NRLS	RLS	RLS	RLS
30A02	Trauma Inj: Not dangerous body area	BLS	NRLS	No EMR	No Response	No Response	No Response	RLS	RLS
30A03	Trauma Inj: Non- recent (≥6hrs) injuries (without pri sympt)	BLS	NRLS	No EMR	No Response	No Response	No Response	No Response	RLS
31	Unconscious/Fainting (Near)								
31E01	Uncon/Faint: Ineffective breathing	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
31D01	Uncon/Faint: Unconscious – Agonal/Ineffective breathing	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS



MPDS Protocol	MPDS Descriptor	Ambulance Level of Service	Ambulance Response Priority	SJCEMSA EMR Response	JRUG	LFD	SFD	SSJCFA /MKE	LMFD/MFD
31D02	Unconscious/Fainting - Abnormal breathing	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
31D03	Unconscious/Fainting - Effective breathing	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
31D04	Unconscious/Fainting - Not alert	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
31D05	Unconscious/Fainting - CHANGING COLOR	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
31C01	Uncon/Faint: Alert with abnormal breathing	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
31C02	Uncon/Faint: Fainting episode(s) and alert \geq 35 (with cardiac history)	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
31C03	Uncon/Faint: Fmale 12-50 with abdominal pain	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
31A01	Uncon/Faint: Fainting episode(s) and alert \geq 35 (without cardiac history)	BLS	NRLS	NRLS	NRLS	No Response	No Response	RLS	RLS
31A02	Uncon/Faint: Fainting episode(s) and alert < 35 (with cardiac history)	BLS	NRLS	NRLS	NRLS	No Response	No Response	RLS	RLS
31A03	Uncon/Faint: Fainting episode(s) and alert < 35 (without cardiac history)	BLS	NRLS	NRLS	NRLS	No Response	No Response	RLS	RLS
32	Unknown Problem (Person down)								
32D01	Unk Prob: Life status questionable	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
32B01	Unk Prob: Standing, sitting, moving, or talking	BLS or ALS	NRLS	NRLS	NRLS	No Response	No Response	RLS	RLS
32B02	Unk Prob: Medical alarm (alert) notification (no patient info)	BLS or ALS	NRLS	NRLS	NRLS	NRLS	NRLS	RLS	RLS
32B03	Unk Prob: Unknown status/other codes not applicable	BLS or ALS	NRLS	NRLS	NRLS	No Resp	No Respo	RLS	RLS



MPDS Protocol	MPDS Descriptor	Ambulance Level of Service	Ambulance Response Priority	SJCEMSA EMR Response	JRUG	LFD	SFD	SSJCFA /MKE	LMFD/MFD
						onse	nse		
32B04	Unk Prob: Caller 's language not understood (no interpreter in center)	BLS or ALS	NRLS	NRLS	NRLS	NRLS	NRLS	RLS	RLS
33	Transfer/Interfacility/Palliative Care								
33D01	Trans/IFT: Suspected cardiac or respiratory arrest	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
33D02	Trans/IFT: Just resuscitated and/or defibrillated (external)	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
33C01	Trans/IFT: Not alert (acute change)	ALS	RLS	RLS	RLS	No Resp onse	No Respo nse	RLS	RLS
33C02	Trans/IFT: Abnormal breathing (acute onset)	ALS	RLS	RLS	RLS	RLS	No Respo nse	RLS	RLS
33C03	Trans/IFT: Significant hemorrhage	ALS	NRLS	No EMR	No Respo nse	No Resp onse	No Respo nse	RLS	RLS
33C04	Trans/IFT: Shock	ALS	NRLS	No EMR	No Respo nse	No Resp onse	No Respo nse	RLS	RLS
33C05	Trans/IFT: Possible acute heart problems or MI (heart attack)	ALS	RLS	RLS	RLS	RLS	No Respo nse	RLS	RLS
33C06	Trans/IFT: Severe pain	ALS	NRLS	No EMR	No Respo nse	No Resp onse	No Respo nse	RLS	RLS
33C07	Trans/IFT: Emergency response requested	ALS	RLS	RLS	RLS	No Resp onse	No Respo nse	RLS	RLS



MPDS Protocol	MPDS Descriptor	Ambulance Level of Service	Ambulance Response Priority	SJCEMSA EMR Response	JRUG	LFD	SFD	SSJCFA /MKE	LMFD/MFD
33A01	Trans/IFT: Acuity I (No pri sympt) 1. Blood pressure abnormality (Asymptomatic); 2. Dizziness/vertigo; 3. Fever/chills; 4. General weakness; 5. Nausea; 6. New onset immobility	BLS	NRLS	No EMR	No Response	No Response	No Response	No Response	No Response
33A02	Trans/IFT: Acuity II (No pri sympt) 1. Abnormal labs; 2. Gastric tube (in/out); 3. Urinary catheter (in/out) without hemorrhage; 4. Pain, non-traumatic; 5. Possible meningitis; 6. Possible norovirus; 7. Possible infection; 8. Transportation only; 9. Transport for diagnostic exam; 10. Unwell/ill; 11. Vomiting	BLS	NRLS	No EMR	No Response	No Response	No Response	No Response	No Response
33A03	Trans/IFT: Acuity III (No pri sympt) 1. Boils; 2. Bumps; 3. Can't urinate; 4. Constipation; 5. Cramps/spasms; 6. Deafness; 7. Defecation/diarrhea; 8. Earache;	BLS	NRLS	No EMR	No Response	No Response	No Response	No Response	No Response



MPDS Protocol	MPDS Descriptor	Ambulance Level of Service	Ambulance Response Priority	SJCEMSA EMR Response	JRUG	LFD	SFD	SSJCFA /MKE	LMFD/MFD
	9. Gout; 10. Hemorrhoids/piles; 11. Hepatitis; 12. Hiccups; 13. Itching; 14. Joint pain; 15. Nervous; 16. Object stuck; 17. Painful urination; 18. Penis problems/pain; 19. Rash/skin disorder; 20. Sexually transmitted disease (STD); 21. Sore throat; 22. Toothache; 23. Wound infection								
34	ACN (Automatic Crash Notification)								
34D01	ACN: High mechanism	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
34D02	ACN: Unconscious or not alert	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
34D03	ACN: Not breathing/ineffective breathing	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
34D04	ACN: Life status questionable	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
34B01	ACN: injuries involved	BLS or ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
34B02	ACN: Multiple victims (one unit)	BLS or ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
34B03	ACN: Multiple victims (additional units)	BLS or ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
34B04	ACN: Airbag/other automatic sensor (no voice)	BLS or ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
34B05	ACN: Unknown situation/other codes not applicable	BLS or ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS
34A01	ACN: Not dangerous injury (1 st party & single occupant)	BLS	NRLS	NRLS	NRLS	EFD	No Respo	RLS	RLS



MPDS Protocol	MPDS Descriptor	Ambulance Level of Service	Ambulance Response Priority	SJCEMSA EMR Response	JRUG	LFD	SFD	SSJCFA /MKE	LMFD/MFD
34A02	ACN:	No response/refer to EFD	No response/refer to EFD	EFD	EFD	EFD	No Response	EFD	EFD
34Q01	ACN: No injuries (refer to police)	No response	Refer to law enforcement	No EMR	No Response	No Response	No Response	No Response	RLS
39	Active Assailant (Shooter)								
39E01	Active Shooter	ALS	RLS	RLS	RLS	RLS	RLS	RLS	RLS